

# Analysis of Diabetics Through Machine Learning with Adaptability of IoT Platform

Wasim Haidar Sk<sup>1</sup>, Dr. Surendra Pal Singh<sup>2</sup>, Dr. Prashant Johri<sup>3</sup>,  
Dr. Wilfred Blessing N. R<sup>4</sup>

<sup>1</sup>Department of Computer Science & IT, NIMS University, Jaipur, India  
wasims5@gmail.com

<sup>2</sup>Department of Computer Science & IT, NIMS University, Jaipur, India

<sup>3</sup>Department of Computer Science & Engineering, Galgotias University  
Noida, India

<sup>4</sup>Department of Information Technology University of Technology and  
Applied Sciences-Salalah Salalah, Oma

## **Abstract—**

A big problem in the healthcare system that is based on IoT is privacy strengthening. This paper has come out with a privacy-preserving technique with substantial data extraction from IoT devices linked to the healthcare sector. The value of data is actually self-evident. Whether data confidentiality and privacy can be successfully secured in all data flow phases would play a significant part in future relevant work. Destroying the health of the medical system or network, on the one hand, may have disastrous repercussions. At all levels of data gathering, data transfer, cloud storage, and data republication, patient data protection information is also available. Blood sugar is known to be among the worst and most common illnesses. Diabetes is unexplained and uncontrolled, and several problems arise. The tedious method of recognition ends in a testing center and a doctor's examination. However, the growth in machine learning solutions to this crucial problem. This research was intended to build a model that can determine how likely diabetes is to be more accurate in patients. Six software classification algorithms are also used for the early detection of diabetes, including the K Nearest Neighbors, the Logistic Regressive Model, the Decision Tree Classifier, the Random Forest classifier, the Gradient Boosting Classifier and the Support Vector Machine (SVM) Model. The UCI learning machine repository has 768 instances and 8 separate characteristics, such as Breastfeeding, Cholesterol, Blood Pressure, Skin Thickness. Insulin, BMI, pedigrees and era. Diabetes. This paper also tries to find the adaptability of IoT devices linked to the healthcare sector in order to address the security challenges.

**Keyword-** IoT Healthcare, Healthcare Sector, Medical System, Privacy-Preserving.

## **I. INTRODUCTION**

The Internet of Things has arisen as the 21st century's first powerful networking networks. Thanks to their computer and networking capabilities, daily events in real life are part of the Internet, enabling them to communicate with various objects in the IoT world. Through a better form the Internet of Things extends and advances the Web theory. In the IoT world, seamless communications between different types of devices, such as home appliances, medical sensors, cars, surveillance cameras, etc., have given rise to numerous applications, such as home automation, smart city, traffic control, Smart network, and thus the safety of health care patients and data protection is a big problem that will have a significant effect on the upcoming scenario.


The health care professional typically obtains data from his customers and distributes information to approved hospitals or professionals in the health care. The provider also shares the information with the health insurance and pharmaceutical companies. Furthermore, during integration of integrated systems patient data can be exposed to hackers.

The Internet of Things in the healthcare sector consists of many forms of inexpensive devices, making it possible for elderly citizens to have healthcare everywhere, anywhere. This offers support for hospital workers, as well as greater quality of living for the elderly. In fact, there has been a growth in the use of mobile tools and messaging systems relevant to patient and safety sectors of clinical surveillance. Protecting such knowledge from unauthenticated access and can harm the public domain, or pacemakers, for example, according to the medical equipment needed. Patient data security violation can affect mental disorders, social embarrassment or negative physical effects, such as a fatal heart attack. Thus, data security is completely necessary in the IoT-based healthcare network in the context of authentication and watermark.

Body sensor network (BSN) schemes used in the health sector focused on IoT. It's a collection of lightweight, low-power wireless sensor nodes used to track functions of the human body and the environment. Since BSN nodes are deployed to collect sensitive information and can work in harsh conditions, they want stringent protection measures to prevent malicious contact with the system [2]. More recently, in terms of simulation, deployment, and growth, Health IoT is still in its initial stages; nevertheless, IoT-based applications provide a clear effect today and build an increasing demand in today's healthcare sector and potential IoT-based health management solutions. This year in the United States the Internet of Things has the ability to shield 50,000 patients from hospital mistakes. Research reveals that the healthcare industry's Internet of Things can deliver improved care at lower costs, reduce direct contact between employees and patients, and access quality care wherever possible. Therefore, in order to overcome challenges in IoT healthcare systems these constraints have to be deeply focused. This document contributes to an effective data-saving policy relating to the Internet of Things in the health sector.

The Medical Internet of Things is a collection of internet-connected tools developed to conduct patient care operations and services. MIoT has become a modern online healthcare application, which utilizes tiny handheld machines or implantable sensors to capture critical body parameters from patients and track their pathological data. MIoT has demonstrated tremendous promise for improving protecting people's safety and promotes a wide variety of technologies, from implantable medical implants to wearable body area networks (WBANs).

The MIoT layout is usually composed of three layers: the perception layer, the network layer, and the device layer, as seen in Figure 1. The cognition layer's main task is to gather health data through a variety of devices. Comprising a wired and wireless device and middleware, the network layer manages and transmits the inputs received by the awareness layer assisted by application platforms. Well-crafted transportation protocols are not all about change



**Fig. 1:** MIoT layout

### **A. Structure of Medical Internet of Things.**

Safety and privacy of data relating to patients are essential concepts. Data security means data is stored and transmitted securely, ensuring its integrity, validity and reliability, and data privacy means that only persons authorized to view and use the data can be reached [1]. This can develop more reasonable protection strategies according to different purposes and requirements. The growing usage of M-IoT systems offers a stronger protection of people's health [2]; but it still puts a great deal of burden on digital security and privacy.

## **II. SECURITY AND PRIVACY REQUIREMENT**

Although most health care organizations do not spend enough resources to protect security and privacy [14], security and privacy undoubtedly play a major role in M-IoT. M-IoT devices produce an increasing volume of increasingly diverse data in real time, which is very sensitive. On the one hand, the destruction of the security of the system or the medical network can have serious consequences. On the other hand, patient privacy information is present at all stages of data collection, data transfer, and cloud storage and data redeployment. When developing online medical safety and privacy systems, the following four requirements must be considered.

### **A. Data Integrity**

Data integrity refers to the fact that all data values meet semantic standards without unauthorized processing. It includes two levels of accuracy and reliability. Data integrity can be divided into four categories, namely entity integrity, field integrity, referential integrity, and user-defined integration, which can be maintained using foreign keys, restrictions, rules, and triggers.

### **B. Data Usability**

Ease of use of data is to ensure that data or data systems can be used by authorized users. Big data brings not only big benefits, but also critical challenges like dirty data and non-standard data. Moreover, data corruption or loss due to unauthorized access also damages data usability.

### **C. Data Auditing**

Auditing access to medical data is an effective way of monitoring resource use and a joint measure for finding and tracking anomalies. Cloud service providers also generally play unreliable roles which require reasonable methods of auditing. Users, server, connectivity, and transaction log providers are typically included in the audit of content.

### **D. Patient Information Privacy**

Patient information can be divided into two categories: public records and confidential data. Confidential data, which can also be called patient privacy, includes mental status, sexual orientation, sexual performance, infectious diseases, fertility status, drug addiction, genetic information, and identity information. This need to ensure that confidential data does not leak to unauthorized users, or even if the data is intercepted, the information expressed by the unauthorized users cannot be understood.

### III. REVIEW OF LITERATURE

Coupled with new computational technology, data mining has had a significant effect on the healthcare industry. Scientists have been utilizing advanced data processing and the Internet of Things (IoT) to construct a structured system for patients with diabetes and cardiac disease. However, there is also a need for a more sophisticated and validated approach which will provide cardiovascular and diabetic patients with a medical opinion. Hence an innovative Things-Based Health Network (SMD-IoT) Internet for diabetes and cardiovascular disease is introduced here. An effective and inexpensive solution for diabetes and heart disease should be the hybridization of data mining and the Internet of Things with other emerging computing technologies. SMD-IoT crossed concepts on data processing, the Internet of Things, communication machines, semantic object quest (CES), biological sensors, and granular computation (GC). The new system's biosensors help to determine the actual and correct condition of the people affected such that appropriate medical support may be received in emergency circumstances. The new is in the hybrid paradigm and sufficient chat robots assist, specific computation, meaning check and semantic analysis. This method is complicated and very costly to introduce in practice. Yet it is a more realistic and affordable alternative to diabetes and heart disease [1].

The Internet of Things (IoT) has revolutionized numerous new technologies and resources in multiple sectors. The healthcare sector is one of the sectors which has a definitive direct effect on humans. Although IoT technology can be used in health sector medical supply chains, IoT technologies have also not been broadly applied in many health sector fields and services. The number of diabetes patients has risen dramatically over the past four decades, and is projected to grow more in the coming decades. There is still no remedy for the condition, so if people are not treated and not provided sufficient care at the appropriate moment, the patient's life will be lost. The Internet of Things is considered to be a game changer in the health care industry and the aim of this paper is to evaluate and explore how IoT technology and applications can be developed to increase the quality of life and to support people with chronic disease. Their studies indicate that the Internet of Things can help control patients, including daily surveillance of glucose, and can also help to provide patients with a healthier lifestyle by recording of exercise and nutrition. Furthermore, within the framework of this study, they defined the key obstacles in embracing and applying the Internet of Things in the healthcare sector [2].

In Delhi and NCR, health facilities document electronic health reports easily, and online diagnostic details. Furthermore, scientific research is increasingly advancing: vast volumes of knowledge are being analyzed and innovative concepts become part of the application of this advanced science, such as big data. This offers resources from established medical institutions to archive, maintain, analyze, and process vast volumes of reliable, organized, and unstructured data. Statistics from the data collection have increasingly been used to better improve treatment and detect illness. This afternoon, applications require completely interconnected Internet (IoT) linked computers, individuals, time, locations, and networks. For the

advancement of health management services, the Internet has been renewed. Diabetes is described as a series of metabolic disorders impacting human health around the world. Extensive work (diagnosis, biology of the mechanisms, care, etc.) provides a variety of evidence on all diabetes facets. The primary aim of this chapter is to include a comprehensive patient care overview, utilizing vast volumes of data and information. A random sample of 30 people with diabetes from the Delhi and NCR hospitals was obtained from health insurance agencies without mandatory disclosure of any patient details (PI) or confidential personal information (SPI). The goal of this research was to examine diabetes in human health using the new techniques of studying the Internet of Things and Big Data and its Stress Relation (TTH). The writers also attempted to include age, class, insulin and their experience with diabetes. In general, in the case of men, cases of TTH increase with age and do not follow the pattern of diabetes contrast with age, whereas in the case of the different pattern of female TTH it is like diabetes, i.e., the trend increased until 60 years of age and then decrease [3].

Great attention has been given to accurate diabetes detection, which represents a major challenge for the research community to successfully develop a diagnostic system for diabetes detection in the IoT e-health environment. In health services, the Internet of Things (IOT) has an emerging role that provides a system for analyzing medical data to diagnose diseases applied to data mining methods. Present test methods have some drawbacks, such as high processing time and poor statistical precision. He proposed an IOT-based diagnostic program that would use machine learning techniques, such as pre-processing info, feature selection, and diabetes screening in an e-healthcare environment, to handle such issues. System testing and success evaluation measures were used to test the proposed framework. In order to select very critical characteristics, they suggested a filtering approach focused on the decision tree algorithm (3 diodes) Co-learning decision-making algorithms, such as Ada Boost and Random Forest, are often used to pick features and equate classifier output with aggregate-based selection of features. The machine learning classifier for Decision Tree has been used to classify health articles and diabetics. Experimental results show that the decision tree algorithm based on specific characteristics improves predictive model classification performance and achieves optimum precision. In comparison, the new program performs strong relative to previous art systems. Due to the various groups of specific feature set, the high performance of the proposed method is due and GL, DPF and BMI are the most important features in the diabetes prediction data set. In addition, statistical analysis of the experimental results showed that the proposed method would effectively detect diabetes and can easily be implemented in an e-health environment based on IOT wireless sensor technology [4].

Big data is an innovative piece of technology in the business environment today. In today's environment, data is digitized, as Big Data Analytics allows the requisite decision. We explore the study of large data on the Internet of Things environment and the consequences for health care in their article. Currently, healthcare is concerned and Big Data takes every hand in the healthcare networks focused on IoT. We discussed diabetes, a non-communicable illness, in the area of wellness. This essay deals with the test method suggested for diabetes. Then they definitely conduct several research about how to approach the handling of huge data sets, the methods are described and the aspirations of diabetes are addressed by the control of the sensor and IOT [5].

This document provides a review of the latest mobile health apps on the Internet for the things used to manage diabetes. Diabetes is a group of metabolic diseases which increase blood sugar levels over a long period of time. Long-term diabetes treatment includes the engagement of

doctors, clinicians, and family caregivers. A number of Internet of Things applications for managing diabetes have been proposed with the rapid advancement in wireless and Web technologies. Many of such systems concentrate on medical care and decision-making dependent on technology. We examine the mechanism and architecture of these software systems, and address their key issues and problems. The main aim of this document is to assist researchers in the design of advanced diabetes-fighting applications [6].

Within this paper the context-sensitive mobile digital health network (m-Health) utilizes the Internet of Things (IoT) application to establish real-time, two-way connectivity between diabetics and caregivers. During the assessment, while a diabetic patient reports elevated blood sugar levels, ImHS sends a warning to the patient and caregivers that encourages behavior improvement and increases the consistency of clinical treatment. ImHS provides patients, family members and skilled care professional's easy-to-use interfaces that allow them to identify a patient's safety quickly. The writers discussed the application of ImHS in diabetes treatment in this report. ImHS can however be easily adapted for integration with other health systems [7].

Exciting new applications are emerging for Internet of Things (IoT) technology, especially in healthcare, where leverage effects can greatly improve patient well-being while modifying the problem of scarce resources. But the noise around these applications far outstrips reality. Moreover, there is a real risk that these leverage technologies will separate caregivers from patients, which could lead to loss of care. In this article, the authors review some of the most promising IoT applications in healthcare and the big future challenges [8].

In today's world of communication, as the Internet of Things (IoT) progresses, all entities are connected to each other through some means of communication. The Internet of Things will produce the medical team data that can help greatly not only to increase equipment efficiency, but also for patient health. The Internet of Things (IoT) is increasingly recognized by various industry and services, especially in the healthcare field. This document describes the various things that enable the Internet of Things (IoT) and their health care practices for young children and children, chronic care, critical patient monitoring, operating rooms, and medicine dispensers [9].

The article includes a non-surgical breathing procedure to track diabetic status. This is known as the simplest diabetic ketoacidosis (CAD) strategy and earliest diagnosis. CAD is a severe condition and will avoid type 1 diabetes. A typical diabetes check is performed in patients using a urine test and a blood ketone test to track the diabetes diagnosis. Such techniques, though, are disruptive, inconvenient and expensive. Recently, acetone has been used as a modern critical predictor of ketone breathing as it is a convenient, precise and non-invasive expression of ketone body volume. This paper offers a way to calculate ventilation and regulate the number of ketones. The main goal of this work is to provide simple medical services to manage diabetes rates when breathing. The approach entails designing tools related to the Internet of Things (IoT) network to allow the treatment and tracking of patients more effectively in person. Arduino board is used in this device to interpret sensor and sense respiration. The degree of breath intensity is registered through a wireless network inside the device. The processing of data is connected to the Website. The ketone volume is calculated as the sum of respiratory acetone that is produced as patients breathe in a gas sensor made of a mouth fragment. Arduino testing is provided by the Wi-Fi ESP 8266 module with the network, which can be used by approved patients or physicians. This work is relevant because patients can track their diabetes wellbeing individually, and IoT can be notified directly to hospital doctors [10].

IoT technology has attracted much attention in recent years for its potential to relieve stress on health systems due to population aging and high chronic diseases. Standardization is a major issue limiting progress in this area, and therefore this document proposes a standard model for application in future IoT health systems. This survey document then provides the latest research related to each model area, assessing strengths and weaknesses, and the overall relevance of the online mobile healthcare system. IoT healthcare challenges are presented, including safety, privacy, ease of use and low power operation, and recommendations are made for future research instructions [11].

Blood glucose plays a significant part in maintaining the body's movements moving. For examples, the brain uses glucose only as a source of energy. But, if the amount of blood glucose is high it has certain severe implications. Of example, a low blood glucose condition known as hypoglycemia may contribute to heart depolarization and cause heart arrhythmias that trigger unexpected cardiac death. Diabetes, which can be called an elevated amount of blood glucose for a lengthy period of time, is a dangerous illness, as it can cause cardiac problems, stroke, cardiac loss and other violent diseases explicitly or indirectly. Another approach to reduce the extreme impacts of diabetes and hypoglycemia is regular control of blood glucose rates and real-time reactions, such as changing insulin levels from the insulin pump. But merely measuring blood glucose without recognizing indicators or other details such as an electrocardiogram (ECG) and activity level is a wrong move, despite their close relationships. Falls will quickly occur when hypoglycemia happens, particularly for people over age 65. If a decline is not observed, the effects of a decline are more severe. Therefore, they deliver a remote safety control fog-based network and drop detection. Both e-health parameters such as glucose, ECG, body temperature and quantitative data such as ambient temperature, humidity and air quality can all be automatically controlled in real time via the device. The framework provides many advanced resources such as removing ECG functionality, stability, and local remote storage by taking advantage of cloud infrastructure at the edge of the network. The tests indicate the machine operates correctly and the portable sensor node saves electricity. Since the node is fitted with several forms of sensors, the implementation of a 1000 mAh lithium battery will comfortably operate up to 157 hours with one charge [12].

Millions of people globally suffer from diabetes, and the total expense of diabetes treatment is up to 250 million. A significant drawback in current ontology-based diabetes diagnosis and treatment schemes is the existence in semanthropic discrepancies and the lack of a systematic therapeutic method, mostly attributable to the inclusion of a small number of communities within the paradigm. Within this article, they concentrate on developing an evolutionary paradigm for diabetics by collecting comprehensive information from subjects for evaluation and eventual care of diabetes patients. A crucial consideration for functional interoperability of remote health care is the definition of semantic tools for electronic health record requirements. This thesis applies semantic ontology on the Internet to build an ontology-based diabetics model to help clinicians make an appropriate diagnostic decision on the state of diabetes by implementing semantic grammar on the Network. In this analysis, a total of 766 patient reports were chosen from the hospital environment, and 269 of them were considered to have diabetes. Experimental tests suggest that the approach presented is more effective in the treatment of diabetes compared with other therapeutic methods. The ontology-based diabetes health model success study for effective assessment of illness, diabetes treatment and medication prescription is 95%, 98% and 85% respectively [13].

Kaur et al. (2019), The Internet of Things (IoT) has enabled various types of IT applications, one of which is crucial for smart and connected healthcare. Your knowledge about physical and emotional wellbeing will be utilized to create a meaningful impact through network sensors in health care. It enables screening to meet individuals who do not have direct exposure to an appropriate program of health surveillance. The data collected will then be processed using various machine learning techniques, and then exchanged with medical practitioners on the radio who will have correct feedback. Such scenarios still occur, so their aim is to enhance them by utilizing compulsory research to evaluate past evidence and anticipate potential issues. This will help them to switch from response to perspective by rapidly recognizing patterns and providing decisions on behalf of the individual provider of health care. In this article, the authors applied numerous machine learning strategies and considered cloud-related public health care data sets to create a framework that allows real-time remote health tracking focused on the cloud-based Internet of Things network. The program would be in a role to produce suggestions based on historical and experimental cloud results. In a database, the writers proposed a system for information exploration, offering a light to mask trends that could help make accurate decisions. This paper analyzed disease prediction mechanisms such as coronary failure, breast cancer, asthma, spectral liver, thyroid gland, skin disease, hepatic diseases, and surgical data utilizing a variety of input features specific to this clinical illness. Any of the machine learning algorithms covered in this paper, such as K-NN, Help Vector Machine, Decision Trees, Random Forest, and MLP, are used to achieve experimental tests [14].

With the high prevalence and long-term diabetes treatment, and many complications, developing countries need a new paradigm for diabetes self-management. This research therefore aims to evaluate the deployment and effect of a modern diabetes self-management model, known as the cloud health knowledge network, in Shanghai, China. Implementation of the current model was measured in terms of utilization of facilities at urban health care centers and programs offered. The impact was measured from 2012 to 2017, depending on the care rate and control scale. Using the Spearman method, the similarities with the self-management levels is analyzed. The software portal for Shanghai Healthcare Cloud was found to span a total of 237 community health services centers in the 16 administrative districts and offer 2,899 health stations to them by 2017. On average, 8,966 users submitted data per day from the Cloud health care portal to details, with a usage accumulation of 12 043 508 times per user and a total average rise of 13,227.9. In Shanghai, the incidence of diabetes diagnosis rose from 42.9 per cent in 2012 to 78.0 per cent in 2017, and the incidence of regulation improved to 72 per cent in 2017, relative to 63 per cent in 2012. However, there was a strong association between the rate of diagnosis and the degree of regulation and the degree of self-management. The findings show that the current diabetes patient awareness tool is actionable and efficient for diabetes self-management [15].

#### **IV. MAIN VULNERABILITIES OF THE HEALTHCARE IOT**

Connected devices in healthcare offer many advantages, however, the same devices pose increased risks to both to privacy and security. Some possible risks include:

- Attacks on other systems;
- Risks to personal safety;
- Privacy risks.

##### ***A. Privacy Issues:***

<http://annalsofrscb.ro>

***Risks of Patients' Privacy Exposure:*** The biggest protection problem is security regarding the patient's personal health information. The Personal Health Record (PHR) is "a human electronic archive of health relevant knowledge that meets widely recognized requirements of interoperability" (Khan et al., 2009). PHRs are obtained from various outlets, and detailed input is given to the electronic health center. It will become the victim of cyber-attacks that result with the release of private details by including personal information.

***Data Eavesdropping:*** Data on patient safety are usually only open to approved caregivers. This data can be detected though as it passes through the wireless connections. For example, the common glucose tracking device focused on the Internet of Things and the Internet of Things insulin delivery system use wireless communications, which are also used to conduct privacy attacks and thus require sufficient security for the transmitted data.

***Ownership of data:*** Countries have patient data privacy regulations so these may differ from nation to nation. For fact, in some instances, as with portable exercise devices, many citizens feel that the data that has been collected and obtained is sufficient to safeguard the law, but in other situations it is not.

***Location privacy:*** Privacy on the site is about spying on a patient's website. The anonymity of the WSN site, which explicitly masks the position of the sender, can be obtained by guiding it to a randomly selected intermediate node (RRIN)

## ***B. Security issues:***

Given the emerging nature of a stable IoT, data submitted and retrieved by embedded computers may be exposed to different forms of cyber threats, from physical artifacts to web services and databases. The greatest problem, though, is system interoperability, which may allow the network to be exposed to new security bugs and other threats.

***Distributed denial of service (DDoS):*** DDoS is an assault in which several malicious devices are used to target a single network, culminating in a denial of service and rendering the device inaccessible and the data unavailable.

***Med jacking:*** TrapX, a protection consultancy, stated in June 2015 that most health-care organizations are susceptible to the hijacking of medical equipment, often called "patient piracy." Most medical tools now enable criminals to quickly view vast volumes of sensitive data from healthcare company databases to be stolen. This could be infected by certain wired medical devices that can transmit and retrieve data or serve as a conduit or view patient data. In fact, the intruder has the ability to touch and adjust the dosage of the medication by manipulating a linked medical unit, and send the patient a very low or fatal volume.

***Unauthorized data access/ access control:*** Different users are assigned to different applications, and each application will have a large number of users. With so much data stored in the cloud, the need for effective authentication technology to prevent illegal user sharing and unauthorized access to data becomes more important. Moreover, access control is necessary to prevent unauthorized entities from accessing system resources (data, servers, etc.)

### V. Result

Diabetes is considered as one of the deadliest and chronic diseases which causes an increase in blood sugar. Many complications occur if diabetes remains untreated and unidentified. The tedious identifying process results in visiting of a patient to a diagnostic center and consulting doctor. But the rise in machine learning approaches solves this critical problem. The motive of this study is to design a model which can prognosticate the likelihood of diabetes in patients with maximum accuracy. Therefore, six machine learning classification algorithms namely K Nearest Neighbors, Logistic Regression Model, Decision Tree Classifier, Random Forest Classifier, Gradient Boosting Classifier, and Support Vector Machines (SVM) Model are used in this experiment to detect diabetes at an early stage. Pima Indians diabetes data set is available in UCI machine learning repository and this set has 768 instances and 8 number of attributes namely Pregnancies, Glucose, Blood Pressure, Skin Thickness, Insulin, BMI Diabetes, Pedigree Function and Age.

**Table 1:** EDA (Exploratory Data Analysis) of Data

	<b>Pregnan- cies</b>	<b>Gluc- ose</b>	<b>Blood- Pressure</b>	<b>Skin- Thickness</b>	<b>Insul- in</b>	<b>B MI</b>	<b>Diabetes-Pedigree- Function</b>	<b>Ag- e</b>
cou- nt	768	768	768	768	768	768	768	768
me- an	3.845052	120.89	69.105469	20.536458	79.8	32	0.471876	33
std	3.369578	31.973	19.355807	15.952218	115.2	7.88	0.331329	12
min	0	0	0	0	0	0	0.078	21
ma- x	17	199	122	99	846	67.1	2.42	81

**Table 2:** Correlation

	<b>Pregna- ncies</b>	<b>Gluc- ose</b>	<b>Blood- Pressur- e</b>	<b>Skin- Thickn- ess</b>	<b>Insul- in</b>	<b>BM I</b>	<b>Diabetes- Pedigree- Function</b>	<b>Ag- e</b>	<b>Outco- me</b>
<b>Pregnan- cies</b>	1	0.1295	0.141282	0.081672	-0.074	0	-0.033523	0.5	0.2219
<b>Glucose</b>	0.129459	1	0.15259	0.057328	0.331	0.2	0.137337	0.3	0.46658
<b>BloodPres- sure</b>	0.141282	0.1526	1	0.207371	0.089	0.3	0.041265	0.2	0.06507
<b>SkinThick- ness</b>	0.081672	0.0573	0.207371	1	0.437	0.4	0.183928	-0	0.07475
<b>Insulin</b>	0.073535	0.3314	0.088933	0.436783	1	0.2	0.185071	-0	0.13055

<b>BMI</b>	0.01768 3	0.221 1	0.28180 5	0.39257 3	0.198	1	0.140647	0	0.292 7
<b>DiabetesP edegreeFu nction</b>	- 0.03352 3	0.137 3	0.04126 5	0.18392 8	0.185	0.1	1	0	0.173 84
<b>Age</b>	0.54434 1	0.263 5	0.23952 8	- 0.11397	- 0.042	0	0.033561	1	0.238 36
<b>Outcome</b>	0.22189 8	0.466 6	0.06506 8	0.07475 2	0.131	0.3	0.173844	0.2	1

**Table 3:** Comparative Result

<b>Machine Learning Algorithms</b>	Training data Accuracy (%)	Test data Accuracy (%)
<b>K Nearest Neighbors</b>	79	72
<b>Logistic Regression Model</b>	78	77
<b>Decision Tree Classifier</b>	100	65
<b>Random Forest Classifier</b>	100	78
<b>Gradient Boosting Classifier</b>	92	74
<b>Support Vector Machines (SVM) Model</b>	77	76

Results obtained show Random Forest Classifier outperforms with the highest accuracy of 78% comparatively other algorithms.

## VI. CONCLUSION

Secure and high-quality hospital facilities are of utmost significance for patients. Safety and the safety of healthcare data for patients are crucial concerns that will have a huge effect on Healthcare's forthcoming achievement with IoT. A big problem in the healthcare system that is based on IoT is privacy strengthening. A health-care provider typically collects data from his patients and distributes it to health-care experts or registered clinics. Maybe the respondent will share the data with pharmaceutical and health insurance firms. While most healthcare organizations do not use enough tools to protect protection and privacy, safety and privacy play a significant role in IoT. These instruments generate a growing amount of extremely complex, highly sensitive real-time data. Diabetes is deemed one of the toughest and persistent illnesses causing elevated blood sugar. Some problems arise while diabetes stays unchecked, unexplained. The tedious recognition process ends in a patient attending a testing center and consulting doctor. Yet rising machine learning methods address this crucial question. This paper s developing a model that can forecast the risk of diabetes in patients with optimum precision. This experiment uses six machine learning classification algorithms including K Nearest Neighbors, Logistic Regression Model, Decision Tree Classifier, Random Forest Classifier, Gradient Boosting Classifier, and Support Vector Machines (SVM) Model to diagnose diabetes at an early level. The data collection for Pima Indians diabetes is available in the UCI machine learning repository and has 768 instances and 8 attributes, including births, glucose, blood pressure, skin thickness.

Insulin, BMI, Pedigree feature and era. Results obtained show Random Forest Classifier outperforms with the highest accuracy of 78% comparatively other algorithms.

## References

- [1] Sharma, M., Singh, G., & Singh, R. (2019). An advanced conceptual diagnostic healthcare framework for diabetes and cardiovascular disorders. *arXiv preprint arXiv:1901.10530*.
- [2] Longva, A. M., & Haddara, M. (2019). How Can IoT Improve the Life-quality of Diabetes Patients?. In *MATEC Web of Conferences* (Vol. 292, p. 03016). EDP Sciences.
- [3] Rastogi, R., Chaturvedi, D. K., Satya, S., Arora, N., Singhal, P., & Gupta, M. (2020). Surveillance of Type-I & II Diabetic Subjects on Physical Characteristics: IoT and Big Data Perspective in Healthcare@ NCR, India. In *Internet of Things (IoT)* (pp. 429-460). Springer, Cham.
- [4] Haq, A. U., Li, J., Memon, M. H., Nazir, S., Ahmad, S., & Ali, A. (2020). A New Intelligent Approach for Effective Recognition of Diabetes in the IoT E-HealthCare Environment.
- [5] Biswas, R., Pal, S., Cuong, N. H. H., & Chakrabarty, A. (2020). A Novel IoT-Based Approach towards Diabetes Prediction Using Big Data. In *Intelligent Computing in Engineering* (pp. 163-170). Springer, Singapore.
- [6] Deshkar, S., Thanseeh, R. A., & Menon, V. G. (2017). A review on IoT based m-Health systems for diabetes. *International Journal of Computer Science and Telecommunications*, 8(1), 13-18.
- [7] Chang, S. H., Chiang, R. D., Wu, S. J., & Chang, W. T. (2016). A context-aware, interactive M-health system for diabetics. *IT professional*, 18(3), 14-22.
- [8] Laplante, P. A., & Laplante, N. (2016). The internet of things in healthcare: Potential applications and challenges. *It Professional*, 18(3), 2-4.
- [9] Yeole, A. S., & Kalbande, D. R. (2016, March). Use of Internet of Things (IoT) in healthcare: A survey. In *Proceedings of the ACM Symposium on Women in Research 2016* (pp. 71-76).
- [10] Rahman, R. A., Aziz, N. S. A., Kassim, M., & Yusof, M. I. (2017, April). IoT-based personal health care monitoring device for diabetic patients. In *2017 IEEE Symposium on Computer Applications & Industrial Electronics (ISCAIE)* (pp. 168-173). IEEE.
- [11] Baker, S. B., Xiang, W., & Atkinson, I. (2017). Internet of things for smart healthcare: Technologies, challenges, and opportunities. *IEEE Access*, 5, 26521-26544.
- [12] Gia, T. N., Dhaou, I. B., Ali, M., Rahmani, A. M., Westerlund, T., Liljeberg, P., & Tenhunen, H. (2019). Energy efficient fog-assisted IoT system for monitoring diabetic patients with cardiovascular disease. *Future Generation Computer Systems*, 93, 198-211.
- [13] Chen, L., Lu, D., Zhu, M., Muzammal, M., Samuel, O. W., Huang, G., ... & Wu, H. (2019). OMDP: An ontology-based model for diagnosis and treatment of diabetes patients in remote healthcare systems. *International Journal of Distributed Sensor Networks*, 15(5), 1550147719847112.
- [14] Kaur, P., Kumar, R., & Kumar, M. (2019). A healthcare monitoring system using random forest and internet of things (IoT). *Multimedia Tools and Applications*, 78(14), 19905-19916.
- [15] Cheng, C., Xin, G., Xiaoli, W., Chuanwei, C., Xiaoming, S., Yimin, Z., & Lan, T. (2019). Evaluation of the implementation and effect of the healthcare cloud information platform for

diabetes self-management: A case study in Shanghai. *The International journal of health  
planning and management*, 34(3), 986-997.