

Selenium Nanoparticles and Its Application

Type of Article: Review

Running title- Selenium nanoparticles and its application

Monesh babu J.D

Department of Physiology,
Saveetha Dental College and Hospitals,
Saveetha Institute of Medical and Technical Sciences,
Saveetha university,
Chennai, India

Mail I'd: 151901038.sdc@saveetha.com

Dr. Preetha. S

Senior Lecturer,
Department of Physiology
Saveetha Dental college and Hospitals
Saveetha Institute of Medical and Technical Sciences,
Saveetha University,
Chennai, India

Mail I'd:

Dr Dinesh Premavathy,

Senior Lecturer,
Department of Anatomy,
Saveetha dental college and Hospitals,
Saveetha Institute Of Medical And Technical Science,
Saveetha University,
Chennai , India

Mail I'd :

Corresponding author

Dr. Preetha. S

Senior Lecturer,
Department of Physiology,
Saveetha Dental college,
Saveetha Institute of Medical and Technical Sciences,
Saveetha University,
162, PH Road
Chennai 600072
Tamil Nadu , India

Mail id: preeths.sdc@saveetha.com

Mob no 8608566435

ABSTRACT:

Selenium is an important trace element within the diet, required for protection of health and growth; however, its toxicity could cause extreme damage depending on dose and chemical form. Selenium nanoparticles (SeNPs) represent a prospect for nutritional supplementation due to their decreased toxicity and capacity to gradually release selenium after ingestion. Selenium nanoparticles (SeNPs), as a special shape of selenium (Se) supplement, have attracted worldwide attention because of their favorable properties and unique bioactivities. A green and economic way to prepare stable SeNPs have been introduced. Selenium Nanoparticles serve to reduce the toxicity, enhance bioactivity. The aim of the present study is to analyse the properties and applications of selenium nanoparticles. Here we have discussed the significance of the selenium nanoparticles and its pharmacological activity. The role of selenium nanoparticles in pharmacological protection against various conditions is presented.

KEYWORDS: Antimicrobial activity ; Anticancer ; Nanoparticle; Selenium; Antioxidant,

INTRODUCTION:

The word selenium originates from the greek word "selene" which refers to the moon goddess. It was discovered by Jacob Berzelius in 1858. Primarily selenium was found immobilized in the sedimentary rocks. As a nutritional supplement, Se is a necessary trace element required for the maximum of the living organisms consisting of animals and human beings. Se is given in as a minimum 25 human selenoproteins and enzymes as selenocysteine, which performs a critical position in preventing diverse diseases such as cardiovascular disease, hypercholesterolemia and sure cancers. To meet the everyday requirement of Se, more Se supplementation is necessary, in particular for those having Se deficiency. Some Se compounds in each inorganic and natural forms, along with selenite, selenomethionine and Se-methylselenocysteine, have been used for many years to keep away from Se deficiency in animals and human beings [(1)]

In the recent years, SeNP, a kind of elemental Se particle at a nano-size scale with a bright purple color, has aroused worldwide attention due to its unique properties and notable biological sports. It not simplest scavenges the loose radicals in vitro however additionally improves boom, serum oxidant popularity and Se awareness in vivo. Amazingly, in comparison with Se compounds which include selenite, selenomethionine, Se-yeast and Se-methylselenocysteine, SeNPs showcase much decreased acute toxicity whilst increasing the sports of selenoenzymes. Besides, SeNPs are able to inhibit the increase of microorganisms. They additionally show off antitumor sports both in vitro and in vivo, by way of inducing mitochondrial-mediated apoptosis⁹ and stimulating immune reaction against cancer cells. Thus, SeNPs are taken into consideration as a prospective Se formulation for dietary complement use, chemoprevention and chemical therapy towards cancer.

The review was mainly based on phases of selenium nanoparticles and its applications like, antioxidant activity, antimicrobial, antiviral effects, [(1)] the review focuses on its properties and the mode of supplementation. Selenium nanoparticles synthesis nano selenium and shows it's

bioavailability and toxicity [(2)] and its intoxication and its immunomodulation helps in reproduction growth [(3)] Previous studies has been done by our team on various aspects that includes goitre [(4)], obesity [(5)], thyroid study [(6)] sleep patterns[(7)], neonatal jaundice [(8)], muscular endurance [(9)], physical fitness [(10)], asthma (11), fatty liver [(12)] , acupuncture [(13)], tongue exercise [(14)], expiratory flow rate (15)] , myocardial infarction [(16)], nasal spirometry [(17)] , survey on onychocryptosis [(18)] and all that experience led us to work on current topics. Our team has rich experience in research and we have collaborated with numerous authors over various topics in the past decade (19–43). The aim of the present study is to analyse and review the properties and applications of selenium nanoparticles.

PROPERTIES OF SELENIUM NANOPARTICLES :

Selenium is the essential trace element in diet maintenance and health growth has lower toxicity. They are mainly used for anticancer treatment. A huge quantity of reports suggest particular biomedical programs of SeNPs starting from antioxidant pastime to anticancer effects and are attributable especially to its redox modulatory property. However, the exact assessment of molecular outcomes of SeNPs is hitherto absent from the modern literature. In the prevailing overview, we have made an attempt to fill this hole by supplying a comprehensive survey of various pharmacological activities with emphasis on the molecular mechanism of such reported activities. In addition, the underlying mechanisms behind the discount in toxicity of Se upon nano particlization had been explored to provide a likely explanation for this precise phenomenon owing to the truth that Se is toxic and the margin of safety is very narrow. It plays a major role in the field of medicine and it also shows antibacterial properties [(44–46)].

APPLICATION OF SELENIUM NANOPARTICLES:

Selenium is a narrow therapeutic and very delicate and this nanotechnology driven formulation approaches hold a substantial potential in the 21st century drug delivery. These selenium nanoparticles have been explored in various pharmaceutical industries, medical field activities and various other fluids. However the interaction of selenium nanoparticles with genes and chromosomes is warranted with studies pertaining to their gene safety [(44,47)].

SELENIUM NANOPARTICLES AS AN ANTIOXIDANT :

Selenium (Se) is involved in the antioxidant defense systems of the liver and performs an essential role in protecting against oxidative stress [(48)]. Many research confirmed that Se supplementation can increase the extent of enzymes including GPx etc., prevent the accumulation of unfastened radical species, and reduce the cellular harm. However, the slim margin among the effective and toxic doses constrained the application of this substance. The Se has therefore gained more attention because of its low toxicity and incredible bioavailability in comparison with Se(IV) and Se(VI), in view that each having a strong capacity to capture unfastened radicals. Nevertheless, negative water solubility and the capability to without problems rework into a gray analogue that is thermodynamically stable however biologically inert, makes Se difficult for use

in food and medication fields. Nano selenium possesses better antioxidant capability than the other forms of selenium while reducing the risk of selenium toxicity. Wang et al demonstrated the antioxidant properties of selenium nanoparticles that evinced lower toxicity than selenomethionine (Se Met)[(49)].

ANTIVIRAL AND ANTIBACTERIAL EFFECTS OF SELENIUM:

Bacteria can easily form biofilms when they attach to a surface. A bacterial biofilm is an aggregate of one or more types of bacteria in a hydrated polymeric matrix. Biofilms are a common cause of persistent infections as they are easy to form but hard to treat. *S. aureus* biofilms have been found on a wide range of medical devices including prosthetic heart valves, central venous catheters, urinary catheters, orthopedic prostheses, penile prosthesis, contact lenses, endocarditis, otitis media, osteomyelitis, and sinusitis. Selenium nanoparticles have attracted substantial attention due to their unique antimicrobial activity and also reported that the selenium nanoparticles are found to possess antimicrobial activity [(50)]. Selenium is an essential trace element regulated by cellular redox homeostasis and is an integral component of selenoproteins controlling some crucial biological process. The antiviral capability of selenium nanoparticles together with other advantages such as toxicity and excellent activity has recently attracted increased attention [(51)]. The high surface areas of nanoparticles allow for more active sites for interacting with biological entities such as cells. The higher surface areas of nanoparticles compared with conventional micron-size particles also offer more sites for functionalization with other bioactive molecules, such as anticancer and antibacterial drug molecules. [(52)].

NANO SELENIUM AS AN ANTICANCER DRUG:

THERAPEUTIC AND BIOMEDICAL APPLICATIONS OF SELENIUM NANOPARTICLES :

Selenium nanoparticles offer improved bioavailability with added advantages of decreased toxicity. By looking at the historical account of drug delivery, it has been surveyed that approximately 95% of all potentially critical therapeutics have reduced pharmacokinetics and bio-pharmaceutical properties. Delivery structures also offered restricted solubility and bad selectivity and reduced quantity of drug diffusion through biological obstructions which leads to unfavorable effects. The fundamental diffusion limitations include Cellular Membrane, reticuloendothelial barriers, Endothelial barriers, Blood brain barrier, Blood tumor barrier, Multi drug resistant tumor cells.

Consequently, successful deliverance of therapeutics to infection positions is a major struggle in biomedicine. Therefore, there is a need to develop suitable drug delivery ways that distribute the therapeutically energetic drug particles to the web page of action, without affecting healthful organs and tissues. Nanoparticles, especially selenium nanoparticles, play a vital role in healing procedures of destiny as “nanomedicines” for most cancers. The pro-oxidant as well as the

antioxidant effects provide different avenues for exploration in a variety of pathological conditions [(53)].

DISCUSSION:

Selenium is an important element that interferes through selenoproteins in many physiological processes of the organism and affects the production and reproductive properties [(54)][(54,55)]. These biomolecules used to reduce Se salts in-Vitro [(56)] are the byproducts released in the environment may be hazardous and affects the flora and fauna. Therefore we analysed in depth on the biogenic synthesis of Se nanoparticles and their characterisation and transformation into t-Se, m-Se, Se nanoballs, Se-nanowires] in an innocuous way preventing the environment from population. Recently found that the dietary nano Se supplementation increases the activity of GP and CAT in erythrocytes of layered chicks. These findings indicated that nano selenium has higher selenium retention in the liver, pancreas and the breast muscle than dietary selenium. The use of SENPS for the therapeutic purposes, many scientific studies suggested that many of these generally prevailing doubts have not been confirmed. However it is still necessary to carry out further preclinical studies. Our institution is passionate about high quality evidence based research and has excelled in various fields ((57–67)

CONCLUSION:

From the present study, Se is an essential element with pleiotropic pharmacological properties, activities. In the present review we highlighted the importance of SENPS over their elemental counterparts. This Se nanoparticles technology provides attractive characteristics with a variety of possible biomedical applications. The biotherapeutic relevance of SENPS has unwrapped innovative opportunities for biotechnology engineering- fabrication of superior and effective diagnostic and remedial creations for biomedical functions.

ACKNOWLEDGEMENT:

The team extends our sincere gratitude to the Saveetha Dental College and Hospitals for their constant support and successful completion of this work

AUTHORS CONTRIBUTION:

All the authors contributed equally in concept , design, carrying out the analysis and review of the study.

CONFLICT OF INTEREST:

The authors have none to declare

REFERENCES:

1. Skalickova S, Milosavljevic V, Cihalova K, Horky P, Richtera L, Adam V. Selenium nanoparticles as a nutritional supplement [Internet]. Vol. 33, Nutrition. 2017. p. 83–90. Available from: <http://dx.doi.org/10.1016/j.nut.2016.05.001>
2. Hassanin KMA, Abd El-Kawi SH, Hashem KS. The prospective protective effect of selenium nanoparticles against chromium-induced oxidative and cellular damage in rat thyroid. *Int J Nanomedicine*. 2013 May 1;8:1713–20.
3. Sarkar B, Bhattacharjee S, Daware A, Tribedi P, Krishnani KK, Minhas PS. Selenium Nanoparticles for Stress-Resilient Fish and Livestock. *Nanoscale Res Lett*. 2015 Dec;10(1):371.
4. Samuel AR, Devi MG. Geographical distribution and occurrence of Endemic Goitre. *Research Journal of Pharmacy and Technology*. 2015;8(8):973–8.
5. Baheerati MM, Devi RG. Obesity in relation to Infertility. *Research Journal of Pharmacy and Technology*. 2018;11(7):3183–5.
6. Fathima F. Preetha. Evaluation of Thyroid Function Test in Obese Patients. *Asian J Pharm Clin Res*. 2016;9(3):353–5.
7. Rj I, R GD. Role of environmental factors on sleep patterns of different age groups [Internet]. Vol. 9, Asian Journal of Pharmaceutical and Clinical Research. 2016. p. 124. Available from: <http://dx.doi.org/10.22159/ajpcr.2016.v9i6.13832>
8. Harsha L, Priya J, Shah KK. Systemic approach to management of neonatal jaundice and prevention of kernicterus. *Research Journal of [Internet]*. 2015; Available from: <http://www.indianjournals.com/ijor.aspx?target=ijor:rjpt&volume=8&issue=8&article=028>
9. Abigail, Priya J, Devi G. Evaluation of Muscular Endurance among Dentists. *Indian Journal of Public Health Research & Development*. 2019;10(10):258–61.
10. David, Priya AJ, Devi G. Physical Fitness among the Dental Physician, Dental Undergraduates and Postgraduates Students. *Indian Journal of Public Health Research & Development*. 2019;10(10):223–6.
11. Dave PH, Others. Pathogenesis and Novel Drug for Treatment of Asthma-A Review. *Research Journal of Pharmacy and technology*. 2016;9(9):1519–23.
12. Choudhari S, Jothipriya MA. Non-alcoholic fatty liver disease [Internet]. Vol. 9, Research Journal of Pharmacy and Technology. 2016. p. 1782. Available from:

<http://dx.doi.org/10.5958/0974-360x.2016.00360.7>

13. Swathy S, Sethu VG. Acupuncture and lower back pain. *Research Journal of Pharmacy and Technology*. 2015;8(8):991–3.
14. Shruthi M, Preetha S. Effect of Simple Tongue Exercises in Habitual Snorers. *Research Journal of Pharmacy and Technology*. 2018;11(8):3614–6.
15. Timothy CN, Devi RG, Priya AJ. Evaluation of Peak Expiratory Flow Rate (PEFR) in Pet Owners. *Indian Journal of Public Health Research & Development*. 2019;10(8):803–6.
16. Renuka S, Sethu G. Regeneration after Myocardial Infarction. *Research Journal of Pharmacy and Technology*. 2015;8(6):738–41.
17. Gayatri DR, Sethu G. EVALUATION OF ADENOIDS BY ORONASAL AND NASAL SPIROMETRY. Evaluation [Internet]. 2018;11(10). Available from: <https://innovareacademics.org/journals/index.php/ajpcr/article/download/27365/15808>
18. Iyer PK, Devi RG, Priya AJ. A Survey Study on Causes, Treatment and Prevention of Onychocryptosis. *Indian Journal of Public Health Research & Development*. 2019;10(8):807–11.
19. Duraisamy R, Krishnan CS, Ramasubramanian H, Sampathkumar J, Mariappan S, Navarasampatti Sivaprakasam A. Compatibility of Nonoriginal Abutments With Implants: Evaluation of Microgap at the Implant-Abutment Interface, With Original and Nonoriginal Abutments. *Implant Dent*. 2019 Jun;28(3):289–95.
20. Ariga P, Nallaswamy D, Jain AR, Ganapathy DM. Determination of correlation of width of Maxillary Anterior Teeth using Extraoral and Intraoral Factors in Indian Population: A systematic review. *World J Dent*. 2018 Feb;9(1):68–75.
21. Kannan A, Venugopalan S. A systematic review on the effect of use of impregnated retraction cords on gingiva. *J Adv Pharm Technol Res*. 2018;11(5):2121.
22. Basha FYS, Ganapathy D, Venugopalan S. Oral hygiene status among pregnant women. *J Adv Pharm Technol Res*. 2018;11(7):3099.
23. Rajakeerthi, Ms N. Natural Product as the Storage medium for an avulsed tooth – A Systematic Review. *CumhurÜnivDişHekimFakderg*. 2019 Jun 11;22(2):249–56.
24. Teja KV, Ramesh S, Priya V. Regulation of matrix metalloproteinase-3 gene expression in inflammation: A molecular study. *J Conserv Dent*. 2018 Nov;21(6):592–6.
25. Menon S, Ks SD, R S, S R, S VK. Selenium nanoparticles: A potent chemotherapeutic

<http://annalsofrscb.ro>

- agent and an elucidation of its mechanism. *Colloids Surf B Biointerfaces*. 2018 Oct 1;170:280–92.
26. Siddique R, Sureshababu NM, Somasundaram J, Jacob B, Selvam D. Qualitative and quantitative analysis of precipitate formation following interaction of chlorhexidine with sodium hypochlorite, neem, and tulsi. *J Conserv Dent*. 2019 Jan;22(1):40–7.
 27. Nandakumar M, Nasim I. Comparative evaluation of grape seed and cranberry extracts in preventing enamel erosion: An optical emission spectrometric analysis. *J Conserv Dent*. 2018 Sep;21(5):516–20.
 28. Manohar MP, Sharma S. A survey of the knowledge, attitude, and awareness about the principal choice of intracanal medicaments among the general dental practitioners and nonendodontic specialists. *Indian J Dent Res*. 2018 Nov;29(6):716–20.
 29. Hema Shree K, Ramani P, Sherlin H, Sukumaran G, Jeyaraj G, Don KR, et al. Saliva as a Diagnostic Tool in Oral Squamous Cell Carcinoma - a Systematic Review with Meta Analysis. *Pathol Oncol Res*. 2019 Apr;25(2):447–53.
 30. Rajendran R, Kunjusankaran RN, Sandhya R, Anilkumar A, Santhosh R, Patil SR. Comparative evaluation of remineralizing potential of a paste containing bioactive glass and a topical cream containing casein phosphopeptide-amorphous calcium phosphate: An in vitro study. *Pesqui Bras Odontopediatria Clin Integr*. 2019;19(1):1–10.
 31. Gheena S, Ezhilarasan D. Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells. *Hum Exp Toxicol*. 2019 Jun;38(6):694–702.
 32. Hussainy SN, Nasim I, Thomas T, Ranjan M. Clinical performance of resin-modified glass ionomer cement, flowable composite, and polyacid-modified resin composite in noncarious cervical lesions: One-year follow-up. *J Conserv Dent*. 2018 Sep;21(5):510–5.
 33. Hannah R, Ramani P, Herald J, Sherlin, Ranjith G, Ramasubramanian A, Jayaraj G, et al. Awareness about the use, ethics and scope of dental photography among undergraduate dental students dentist behind the lens. *J Adv Pharm Technol Res*. 2018;11(3):1012.
 34. Sharma P, Mehta M, Dhanjal DS, Kaur S, Gupta G, Singh H, et al. Emerging trends in the novel drug delivery approaches for the treatment of lung cancer. *Chem Biol Interact*. 2019 Aug 25;309:108720.
 35. Ravinthar K, Jayalakshmi. Recent advancements in laminates and veneers in dentistry. *J Adv Pharm Technol Res*. 2018;11(2):785.
 36. Jose J, Ajitha, Subbaiyan H. Different treatment modalities followed by dental practitioners

- for Ellis class 2 fracture – A questionnaire-based survey. *Open Dent J.* 2020 Feb 18;14(1):59–65.
37. Sekar D, Lakshmanan G, Mani P, Biruntha M. Methylation-dependent circulating microRNA 510 in preeclampsia patients. *Hypertens Res.* 2019 Oct;42(10):1647–8.
 38. Kumar D, Antony SDP. Calcified canal and negotiation-A review. *J Adv Pharm Technol Res.* 2018;11(8):3727.
 39. Johnson J, Lakshmanan G, M B, R M V, Kalimuthu K, Sekar D. Computational identification of MiRNA-7110 from pulmonary arterial hypertension (PAH) ESTs: a new microRNA that links diabetes and PAH. *Hypertens Res.* 2020 Apr;43(4):360–2.
 40. Janani K, Palanivelu A, Sandhya R. Diagnostic accuracy of dental pulse oximeter with customized sensor holder, thermal test and electric pulp test for the evaluation of pulp vitality: an in vivo study. *Braz Dent Sci [Internet].* 2020 Jan 31;23(1). Available from: <https://bds.ict.unesp.br/index.php/cob/article/view/1805>
 41. Seppan P, Muhammed I, Mohanraj KG, Lakshmanan G, Premavathy D, Muthu SJ, et al. Therapeutic potential of *Mucuna pruriens* (Linn.) on ageing induced damage in dorsal nerve of the penis and its implication on erectile function: an experimental study using albino rats. *Aging Male.* 2018 Feb 15;1–14.
 42. Jeevanandan G, Govindaraju L. Clinical comparison of Kedo-S paediatric rotary files vs manual instrumentation for root canal preparation in primary molars: a double blinded randomised clinical trial. *Eur Arch Paediatr Dent.* 2018 Aug;19(4):273–8.
 43. Nandhini JST, Babu KY, Mohanraj KG. Size, shape, prominence and localization of gerdy's tubercle in dry human tibial bones. *J Adv Pharm Technol Res.* 2018;11(8):3604.
 44. Chhabria S, Desai K. Selenium nanoparticles and their applications. *Encyclopedia of Nanoscience and [Internet].* 2016; Available from: https://www.researchgate.net/profile/Sagar_Chhabria2/publication/307606511_Selenium_Nanoparticles_and_Their_Applications/links/57cd359808ae598251863dfc/Selenium-Nanoparticles-and-Their-Applications.pdf
 45. Sakr TM, Korany M, Katti KV. Selenium nanomaterials in biomedicine—An overview of new opportunities in nanomedicine of selenium. *J Drug Deliv Sci Technol [Internet].* 2018; Available from: <https://www.sciencedirect.com/science/article/pii/S1773224718301679>
 46. McKenzie RC, Arthur JR, Beckett GJ. Selenium and the regulation of cell signaling, growth, and survival: molecular and mechanistic aspects. *Antioxid Redox Signal.* 2002 Apr;4(2):339–51.

47. Yu B, Zhang Y, Zheng W, Fan C, Chen T. Positive surface charge enhances selective cellular uptake and anticancer efficacy of selenium nanoparticles. *Inorg Chem.* 2012 Aug 20;51(16):8956–63.
48. Zhai X, Zhang C, Zhao G, Stoll S, Ren F, Leng X. Antioxidant capacities of the selenium nanoparticles stabilized by chitosan. *J Nanobiotechnology.* 2017 Jan 5;15(1):4.
49. Fernández-Martínez A, Charlet L. Selenium environmental cycling and bioavailability: a structural chemist point of view. *Rev Environ Sci Technol.* 2009 Mar 1;8(1):81–110.
50. Zhang J. Evaluation of nanotoxicity of foods and drugs: Biological properties of red elemental selenium at nano size (nano-Se) in vitro and in vivo. *Nanotoxicity: From In Vivo and In Vitro Models to Health Risks*; Saura, CS, Daniel, AC, Eds. 2009;97–113.
51. Husen A, Siddiqi KS. Plants and microbes assisted selenium nanoparticles: characterization and application. *J Nanobiotechnology.* 2014 Aug 16;12:28.
52. Tran PA, Webster TJ. Selenium nanoparticles inhibit *Staphylococcus aureus* growth. *Int J Nanomedicine.* 2011 Jul 29;6:1553–8.
53. Wadhvani SA, Shedbalkar UU, Singh R, Chopade BA. Biogenic selenium nanoparticles: current status and future prospects. *Appl Microbiol Biotechnol.* 2016 Mar;100(6):2555–66.
54. Guo M, Li Y, Lin Z, Zhao M, Xiao M, Wang C, et al. Surface decoration of selenium nanoparticles with curcumin induced HepG2 cell apoptosis through ROS mediated p53 and AKT signaling pathways [Internet]. Vol. 7, *RSC Advances.* 2017. p. 52456–64. Available from: <http://dx.doi.org/10.1039/c7ra08796a>
55. Bi X, Kong L, Yuan Q, Zhu H, Gao X. Abstract 2910: Selenium nanoparticles suppress prostate LNCaP cancer cells growth through induced endogenous apoptosis [Internet]. *Cancer Chemistry.* 2012. Available from: <http://dx.doi.org/10.1158/1538-7445.am2012-2910>
56. Peter, E.L., Kaligirwa, A., Lukwago, T. Stability indicating highperformance thin layer chromatography method for estimation of ascorbic acid in *Hibiscus sabdariffa* L. aqueous extract (2019) *Journal of Complementary Medicine Research*, 10 (1), pp. 50-57.
57. VijayashreePriyadharsini J. In silico validation of the non-antibiotic drugs acetaminophen and ibuprofen as antibacterial agents against red complex pathogens. *J Periodontol.* 2019 Dec;90(12):1441–8.
58. Pc J, Marimuthu T, Devadoss P. Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study. *Clin Implant Dent Relat Res*

[Internet]. 2018; Available from: <https://europepmc.org/article/med/29624863>

59. Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study. *J Periodontol.* 2018 Oct;89(10):1241–8.
60. Ramadurai N, Gurunathan D, Samuel AV, Subramanian E, Rodrigues SJL. Effectiveness of 2% Articaine as an anesthetic agent in children: randomized controlled trial. *Clin Oral Investig.* 2019 Sep;23(9):3543–50.
61. Sridharan G, Ramani P, Patankar S, Vijayaraghavan R. Evaluation of salivary metabolomics in oral leukoplakia and oral squamous cell carcinoma. *J Oral Pathol Med.* 2019 Apr;48(4):299–306.
62. Ezhilarasan D, Apoorva VS, Ashok Vardhan N. Syzygiumcumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells. *J Oral Pathol Med.* 2019 Feb;48(2):115–21.
63. Mathew MG, Samuel SR, Soni AJ, Roopa KB. Evaluation of adhesion of *Streptococcus mutans*, plaque accumulation on zirconia and stainless steel crowns, and surrounding gingival inflammation in primary molars: Randomized controlled trial. *Clin Oral Investig.* 2020;1–6.
64. Samuel SR. Can 5-year-olds sensibly self-report the impact of developmental enamel defects on their quality of life? *Int J Paediatr Dent.* 2021 Mar;31(2):285–6.
65. R H, Hannah R, Ramani P, Ramanathan A, R JM, Gheena S, et al. CYP2 C9 polymorphism among patients with oral squamous cell carcinoma and its role in altering the metabolism of benzo[a]pyrene [Internet]. Vol. 130, *Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology.* 2020. p. 306–12. Available from: <http://dx.doi.org/10.1016/j.oooo.2020.06.021>
66. Chandrasekar R, Chandrasekhar S, Sundari KKS, Ravi P. Development and validation of a formula for objective assessment of cervical vertebral bone age. *Prog Orthod.* 2020 Oct 12;21(1):38.
67. VijayashreePriyadharsini J, SmilineGirija AS, Paramasivam A. In silico analysis of virulence genes in an emerging dental pathogen *A. baumannii* and related species. *Arch Oral Biol.* 2018 Oct;94:93–8.