

## **Epidemiology, Clinical Characteristics, Prevention and Control of Corona Virus - A Review**

**Shruthi Devi**

Saveetha Dental College and Hospital  
Saveetha Institute of Medical and Technical Sciences,  
Saveetha University,  
Chennai, India.  
E mail id - [151901084.sdc@saveetha.com](mailto:151901084.sdc@saveetha.com)

**Jothi Priya**

Assistant Professor, Department of Physiology  
Saveetha Dental College and Hospital  
Saveetha Institute of Medical and Technical Sciences  
Saveetha University  
Chennai, India.  
E mail id - [jothipriya.sdc@saveetha.com](mailto:jothipriya.sdc@saveetha.com)

**Karthik Ganesh Mohanraj**

Assistant Professor, Department of Anatomy  
Saveetha Dental College and Hospitals Saveetha Institute of Medical and Technical Sciences  
Saveetha University  
Chennai, India.  
E mail id - [karthikm.sdc@saveetha.com](mailto:karthikm.sdc@saveetha.com)

**Corresponding Author**

**Jothi Priya**

Assistant Professor, Department of Physiology  
Saveetha Dental College and Hospital  
Saveetha Institute of Medical and Technical Sciences  
Saveetha University  
Chennai, India.  
E mail id - [jothipriya.sdc@saveetha.com](mailto:jothipriya.sdc@saveetha.com)  
Ph no -8778996993

## ABSTRACT

The world is in a big lockdown due to the coronavirus. It is caused by a novel virus , a modification of SARS - CoV - 2 and is spread through human to human transmission and as the days pass by the death rate is increasing rapidly as people are not following the prevention protocol properly and some are still not aware about the serious effects and preventive measures to be taken.It appeared just one month before the spring festival of China, and the massive population flow has brought great challenges for control and prevention of the disease.No specific therapeutic drug has been found for this disease.Hence health education on knowledge for controlling the disease is important.So, this review focuses on decreasing mortality rate and thereby help people return to their normal life.The review was made by collecting information based on the keywords and important points in relation to the topic through search engines like pubmed and google scholar.The present study summarises and gives an overview of COVID -19 that provides an insight to the people on this deadly disease and hence helps the people to stay safe.

**Key Words:** Awareness; COVID -19; Human transmission; Symptoms; Treatment and control

## INTRODUCTION

In December 2019, a cluster of pneumonia of unknown etiology was detected in Wuhan city of China. The first 27 cases reported were all from the Huanan Seafood market that sells live aquatic products, poultries and other wild animals.It affected people through human to human transmission and community spreading. The Chinese Control Centre for prevention of disease and control, identified this unknown virus as coronavirus and the causative agent was identified as SARS COV -2 by the International Committee Of Taxonomy Virus. At present, the cases are increasing at a high rate posing a threat to public health. According to the Diagnosis and Treatment scheme for novel coronavirus pneumonia ( Trial) 6th edition, the incubation period was found to be 14 days and its clinical manifestations mainly were fever, fatigue and dry cough. The aged patients were affected more due to the disease (>50yrs) when compared to young adults and children [1][2] Large shares of public 's feeling concerned about the various effects of the coronavirus and people were afraid that their family might get affected and hence people started taking personal preventive actions due to outbreak like cancelling their travelling plans, wearing a protective mask etc[3],[4]

Al Mohrej and Agha(2017) found that the causative agent was a positive, single stranded RNA with 120- 160nm in diameter. Seto et al (2013) said that the disease spread through large respiratory droplets (>10 micrometre) in diameter through fomites and hand contamination .Elbur et al (2016) found that close contact with bats, camels and infected people can lead to the transmission of disease. Due to the occurrence of recent deaths, it has become one of the most crucial viruses. But unfortunately, there is no drug treatment or vaccines separately for prevention and spread in Healthcare facilities as it is difficult to determine cause-effect

relationship [5][6]. Hence, the world is at devastating epidemics leading to loss of life, economic loss, and social unrest. On 29th Jan WHO declared 2019 nCOV to be a public health emergency of International concern and the disease caused by this has been named as COVID -19 by WHO on Feb 11 2020 [7,8]. In present, real time reverse transcription-polymerase chain reaction (RT-PCR) assay for COVID-19 has been in clinics for diagnosing but due to high false negative rate and unavailability in the early stage of outbreak, it lead to the restriction of diagnosis in patients [9][10]. Our team has rich experience in research and we have collaborated with numerous authors over various topics in the past decade [11–35].

This study was made as people were not aware about the serious effects of the outbreak and hence an awareness is needed to be created on the symptoms and prevention of coronavirus to save the people and keep the country safe.

## **METHODOLOGY**

The study setting is a review. The information is obtained by searching the keywords and the data is collected through search engines like Pubmed and google scholar. They were collected with a restriction in time basis from 2005 - 2020. The Inclusion criteria considered review and original research articles based on COVID-19, Causes, symptoms, prevention and treatment. Exclusion criteria included retracted articles and articles related to other categories. The article is reviewed from 38 articles collected.

The data was collected and quality analysis of the collected data was done manually and graded as strong, moderate and weak as shown in table 1. The knowledge at current point of time was analysed and thus the consensus was established.

## **EPIDEMIOLOGY OF THE VIRUS**

With the occurrence of SARS, the epidemic coronavirus is considered as one of the emerging pathogens having its origin from SARS COV posing interesting questions on evolution of the coronavirus. It is species specific causing acute and chronic respiratory syndrome and enteric central nervous system diseases. The biological vectors of coronavirus include both humans and animals. However, the original vector is not yet confirmed. But serological and genetic evidence done by various studies supposed that it had a zoonotic origin. This hypothesis was first based on Reports demonstrated on patients containing SARS in Guangdong province, Where the infected people were once exposed to wild games animals in market and conserving the restaurant trade [36][37]. The fatality rate cumulatively increased due to the improvement of diagnosis and transmission through respiratory droplets [38][39]. Experience with the Middle East respiratory syndrome (MERS), pandemic influenza and other outbreaks has shown that as an epidemic evolve, urgent need is done to expand the public health activities so as to characterize its potential impact. The number of cases from mild to severe, is necessary to calibrate and epidemic response [40,41]

Currently covid-19 has spread widely Around The World affecting more than 70 countries and China which has suffered a huge burden due to this disease has taken strong measures to control spread and improve the curative rate of covid-19. This is the third coronavirus pneumonia in the past 20 years around the world with bats being the most probable original reservoirs based on the current evidence but specific animals associated with the virus have not identified [42][43]. Close contact with someone during infectious period puts one at risk of acquiring the infection. But the certainty of becoming infected is unpredictable. Burke et al tested 445 people who were in close contact with 10 covid-19 confirmed patients (at least 6 feet from the source for minimum 10 minutes) and after 2 weeks, when tested found that only two became positive [44,45]

## **PATHOGENIC CHARACTERISTICS**

The coronavirus are single stranded Enveloped RNA positive viruses. They belong to genus beta. There are 6 kinds of species. This species is 7th kind different from MERSr- COV and SARS - COV. It is sensitive to heat and kill at 56 degree Celsius for 30 minutes. 4 viruses 229E OC 43, NL 63 and HKU 1 are prevalent and typically cause common cold symptoms in immunocompetent individuals. The 2 other strains MERSr- COV and SARS - COV Zoonotic in origin and are linked to cause fatal illness [46][47]. Human coronavirus HCoV - 229E (group 1), HCoV - OC43 and COV - HKU 1 (both group 2), cause mild disease and is responsible for common cold and more serious lower respiratory tract infections (15% - 30%) given by (Woo et al, 2015). SARS COV was fatal to 10% of infection (Bastien et al, 2005; Leet et al, 2003; Piris et al, 2003; Zhong et al; 2003) [48,49]

The receptor binding is mediated by the spike protein (s) which is the main determinant of coronavirus Host specificity. However, the location of the receptor binding site is not known. In rare instances, OC43 virus can cause lethal encephalitis. The receptor binding protein (RBS) is not exclusive to OC43 and related animal viruses but conserved and functional even in HKU1 S1 but the binding is significantly lower than OC43 [50][51]. One genome sequence (WH - Human - 1) of Wuhan CoV was first released on Jan 10, 2020 which was then followed by the release of subsequently 5 additional genome sequences of Wuhan CoV. The Wuhan CoV cluster was situated with groups of SARS or SARS like coronavirus but Bat coronavirus HKU9 -1 was considered as an immediate group [52][53]

## **CLINICAL CHARACTERISTICS**

Fever, fatigue, dry cough are considered to be the main manifestations whereas nasal obstruction, running nose and upper respiratory problems are rare. About half the patients developed dyspnea one week later and severe cases developed rapidly like acute respiratory distress syndrome, septic shock, coagulation dysfunction and hard to correct metabolic acidosis [54]. Among hospitalised patients, the proportion of critical or fatal disease is higher. The proportion of severe and fatal infections also vary location by location. It predominantly occurs in adults of advanced age or people having underlying medical comorbidities like CVD disease, diabetes mellitus, hypertension, chronic lung disease. Patients with severe disease reported higher viral RNA levels than present in milder disease and pneumonia is considered as the most frequent, serious manifestation of the infection characterized [55][56]

In young infants, SARS COV -2 causes fever without an obvious source and minimal respiratory symptoms and difficulty in feeding them. Lymphopenia and thrombocytosis were found to be common laboratory findings. The symptoms varied from mild to severe [57]. Patients with severe illness develop ARDS and require ICU admission and oxygen therapy. Similarities of clinical features between 2019nCoV and previous beta coronavirus have been noted. These people rarely developed intestinal symptoms. Autopsy for biopsy study would be the key to understand this disease. In view of the high amount of cytokines induced by SARS-COV, corticosteroids were frequently used for the treatment of patients suffering from severe illness as it helps in separating the inflammation by activating T helper cells. Abnormality in CT chest images were detected in the infected people [58]

## **TREATMENT**

People who are affected with the virus are kept in isolation in hospitals, providing them with complete bed rest and paying attention to their water - electrolyte balance. An effective oxygen therapy, antiviral treatment and antibacterial treatment based on the symptoms to be given to prevent the secondary infection. Respiratory and circulation support to be given to severe cases [58]. Tracking and diagnostic testing are critical to understand the epidemiology and thereby

suppressing the transmission for testing COVID - 19 presence, the doctor may collect samples of saliva (septum), a nasal swab and sent to lab for testing optimised supportive care remains to be the backbone of clinical efficacy. Antiviral therapy taken from other viruses like SARS - COV - 1, MERs - COV and even non coronaviruses like Ebola. The respiratory tract should be kept unobstructed in more severe cases; measuring the blood count and C - reactive protein, chest imaging and blood gas analysis should be re-examined and performed when required [59].

There is no specific antiviral treatment recommended for COVID - 2019 as the vaccine is not available currently. Treatment is symptomatic and the major treatment for severe illness is oxygen therapy. Mechanical ventilation is provided in case of respiratory failure refractory to oxygen therapy and hemodynamic support to be given to manage the septic shock. On Jan 28, 2020 the WHO released a summary of guidelines and scientific evidence from treatment of various previous epidemics for infection prevention and control. Hydroxychloroquine is also used as an effective drug against the virus. If possible special precautions like rapid sequence intubation (RSI) should be performed [60]

## **PREVENTION AND CONTROL**

As on 26th Jan 2020, thirty provinces were initiated with level 1 public health response by setting up observation rooms in stations, airports and detecting body temperature and observation of suspicious patients. Overall guidance of epidemic control is needed and strengthening of laboratory tests is essential [61] Prevention and control strategies and methods are reported at three levels: National level, Case related population level and general population level. At the National level, the National Health Commission of people's Republic of China Issue No:1 announcement on 20, Jan 2020, included the COVID - 19 management of class B legal infectious diseases, adaptation of isolation treatment by medical Institutions and observation protocols to prevent and control the spread of COVID- 19. The China CDC published a guideline that included causes and how to choose and wear proper masks, proper steps of washing hands and preventive measures that need to be taken in different locations ( Eg. at home, public transport, public space), disinfection method and other medical observations that need to be done in the house. Quarantines have discussed the way to reduce the chances of transmission in large numbers. Hence, the best prevention is to avoid being exposed to the virus.[62]

Early protection, identification, diagnosis and early isolation are crucial to combat the COVID-19 outbreaks. The therapies target the airway humidification and suppression of the mucin secretion might help improve the clinical outcomes. Not all hospitals are provided with sufficient resources hence, those must be taken to identify the asymptomatic Viral Carriers. Improved personal protection and hygiene management at community levels where officially enclosed to protect the population from Infections[63] Our institution is passionate about high quality evidence based research and has excelled in various fields ( [64–74]

## **LIMITATIONS**

It prevented the Researchers from assessing the relationship between Corona disease and other risk factors to determine a case - effect relationship.

## **FUTURE SCOPE**

The Review applied a systemic and Rigorous search strategy on relevant articles based on the objectives of the study and summarises the scientific foundations and suggests some evidence for future research directions on COVID- 19 which will help in creating awareness among the public.

## **CONCLUSION**

More studies regarding the prevention and treatment of the virus are to be made to minimise the impact of outbreak, as the disease profile is dynamic and rapidly evolving everyday. There are still many open questions that are pending regarding COVID-19. This review might help us to provide adequate information about corona virus and its complications and treatment methods.

## **ACKNOWLEDGEMENT**

I thank saveetha dental college for their constant support and encouragement to carry out this work and finish the work on time.

## **CONFLICT OF INTEREST - NIL**

## **REFERENCES**

- [1] Deng S-Q, Peng H-J. Characteristics of and Public Health Responses to the Coronavirus Disease 2019 Outbreak in China. J Clin Med Res 2020;9. <https://doi.org/10.3390/jcm9020575>.
- [2] Samuel AR, Devi MG. Geographical distribution and occurrence of Endemic Goitre. Research Journal of Pharmacy and Technology 2015;8:973. <https://doi.org/10.5958/0974-360x.2015.00162.6>.
- [3] The Public's Awareness Of and Concerns About Coronavirus. KFF 2020. <https://www.kff.org/coronavirus-covid-19/issue-brief/the-publics-awareness-of-and-concerns-about-coronavirus/> (accessed June 3, 2020).
- [4] Baheerati MM, Gayatri Devi R. Obesity in relation to Infertility. Research Journal of Pharmacy and Technology 2018;11:3183. <https://doi.org/10.5958/0974-360x.2018.00585.1>.
- [5] Nooh HZ, Alshammary RH, Alenezy JM, Alrowaili NH, Alsharari AJ, Alenzi NM, et al. Public awareness of coronavirus in Al-Jouf region, Saudi Arabia. Z Gesundh Wiss 2020:1–8. <https://doi.org/10.1007/s10389-020-01209-y>.
- [6] Fathima F, Preetha P. EVALUATION OF THYROID FUNCTION TEST IN OBESE PATIENTS. Asian Journal of Pharmaceutical and Clinical Research 2016;9:353.

- <https://doi.org/10.22159/ajpcr.2016.v9s3.12959>.
- [7] Khot WY, Nadkar MY. The 2019 Novel Coronavirus Outbreak - A Global Threat. *J Assoc Physicians India* 2020;68:67–71.
  - [8] Rj I, R GD. Role of environmental factors on sleep patterns of different age groups. *Asian Journal of Pharmaceutical and Clinical Research* 2016;9:124. <https://doi.org/10.22159/ajpcr.2016.v9i6.13832>.
  - [9] Zu ZY, Jiang MD, Xu PP, Chen W, Ni QQ, Lu GM, et al. Coronavirus Disease 2019 (COVID-19): A Perspective from China. *Radiology* 2020:200490. <https://doi.org/10.1148/radiol.2020200490>.
  - [10] Harsha L, Priya J, Shah KK, Reshmi B. Systemic Approach to Management of Neonatal Jaundice and Prevention of Kernicterus. *Research Journal of Pharmacy and Technology* 2015;8:1087. <https://doi.org/10.5958/0974-360x.2015.00189.4>.
  - [11] Duraisamy R, Krishnan CS, Ramasubramanian H, Sampathkumar J, Mariappan S, Navarasampatti Sivaprakasam A. Compatibility of Nonoriginal Abutments With Implants: Evaluation of Microgap at the Implant-Abutment Interface, With Original and Nonoriginal Abutments. *Implant Dent* 2019;28:289–95. <https://doi.org/10.1097/ID.0000000000000885>.
  - [12] Ariga P, Nallaswamy D, Jain AR, Ganapathy DM. Determination of correlation of width of Maxillary Anterior Teeth using Extraoral and Intraoral Factors in Indian Population: A systematic review. *World J Dent* 2018;9:68–75. <https://doi.org/10.5005/jp-journals-10015-1509>.
  - [13] Kannan A, Venugopalan S. A systematic review on the effect of use of impregnated retraction cords on gingiva. *J Adv Pharm Technol Res* 2018;11:2121. <https://doi.org/10.5958/0974-360x.2018.00393.1>.
  - [14] Basha FYS, Ganapathy D, Venugopalan S. Oral hygiene status among pregnant women. *J Adv Pharm Technol Res* 2018;11:3099. <https://doi.org/10.5958/0974-360x.2018.00569.3>.
  - [15] Rajakeerthi, Ms N. Natural Product as the Storage medium for an avulsed tooth – A Systematic Review. *Cumhur Üniv Diş Hekim Fak Derg* 2019;22:249–56. <https://doi.org/10.7126/cumudj.525182>.
  - [16] Teja KV, Ramesh S, Priya V. Regulation of matrix metalloproteinase-3 gene expression in inflammation: A molecular study. *J Conserv Dent* 2018;21:592–6. [https://doi.org/10.4103/JCD.JCD\\_154\\_18](https://doi.org/10.4103/JCD.JCD_154_18).
  - [17] Menon S, Ks SD, R S, S R, S VK. Selenium nanoparticles: A potent chemotherapeutic agent and an elucidation of its mechanism. *Colloids Surf B Biointerfaces* 2018;170:280–92. <https://doi.org/10.1016/j.colsurfb.2018.06.006>.
  - [18] Siddique R, Sureshababu NM, Somasundaram J, Jacob B, Selvam D. Qualitative and quantitative analysis of precipitate formation following interaction of chlorhexidine with sodium hypochlorite, neem, and tulsi. *J Conserv Dent* 2019;22:40–7. [https://doi.org/10.4103/JCD.JCD\\_284\\_18](https://doi.org/10.4103/JCD.JCD_284_18).
  - [19] Nandakumar M, Nasim I. Comparative evaluation of grape seed and cranberry extracts in preventing enamel erosion: An optical emission spectrometric analysis. *J Conserv Dent*

- 2018;21:516–20. [https://doi.org/10.4103/JCD.JCD\\_110\\_18](https://doi.org/10.4103/JCD.JCD_110_18).
- [20] Manohar MP, Sharma S. A survey of the knowledge, attitude, and awareness about the principal choice of intracanal medicaments among the general dental practitioners and nonendodontic specialists. *Indian J Dent Res* 2018;29:716–20. [https://doi.org/10.4103/ijdr.IJDR\\_716\\_16](https://doi.org/10.4103/ijdr.IJDR_716_16).
- [21] Hema Shree K, Ramani P, Sherlin H, Sukumaran G, Jeyaraj G, Don KR, et al. Saliva as a Diagnostic Tool in Oral Squamous Cell Carcinoma - a Systematic Review with Meta Analysis. *Pathol Oncol Res* 2019;25:447–53. <https://doi.org/10.1007/s12253-019-00588-2>.
- [22] Rajendran R, Kunjusankaran RN, Sandhya R, Anilkumar A, Santhosh R, Patil SR. Comparative evaluation of remineralizing potential of a paste containing bioactive glass and a topical cream containing casein phosphopeptide-amorphous calcium phosphate: An in vitro study. *Pesqui Bras Odontopediatria Clin Integr* 2019;19:1–10. <https://doi.org/10.4034/pboci.2019.191.61>.
- [23] Gheena S, Ezhilarasan D. Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells. *Hum Exp Toxicol* 2019;38:694–702. <https://doi.org/10.1177/0960327119839173>.
- [24] Hussainy SN, Nasim I, Thomas T, Ranjan M. Clinical performance of resin-modified glass ionomer cement, flowable composite, and polyacid-modified resin composite in noncarious cervical lesions: One-year follow-up. *J Conserv Dent* 2018;21:510–5. [https://doi.org/10.4103/JCD.JCD\\_51\\_18](https://doi.org/10.4103/JCD.JCD_51_18).
- [25] Hannah R, Ramani P, Herald. J. Sherlin, Ranjith G, Ramasubramanian A, Jayaraj G, et al. Awareness about the use, ethics and scope of dental photography among undergraduate dental students dentist behind the lens. *J Adv Pharm Technol Res* 2018;11:1012. <https://doi.org/10.5958/0974-360x.2018.00189.0>.
- [26] Sharma P, Mehta M, Dhanjal DS, Kaur S, Gupta G, Singh H, et al. Emerging trends in the novel drug delivery approaches for the treatment of lung cancer. *Chem Biol Interact* 2019;309:108720. <https://doi.org/10.1016/j.cbi.2019.06.033>.
- [27] Ravinthar K, Jayalakshmi. Recent advancements in laminates and veneers in dentistry. *J Adv Pharm Technol Res* 2018;11:785. <https://doi.org/10.5958/0974-360x.2018.00148.8>.
- [28] Jose J, Ajitha, Subbaiyan H. Different treatment modalities followed by dental practitioners for Ellis class 2 fracture – A questionnaire-based survey. *Open Dent J* 2020;14:59–65. <https://doi.org/10.2174/1874210602014010059>.
- [29] Sekar D, Lakshmanan G, Mani P, Biruntha M. Methylation-dependent circulating microRNA 510 in preeclampsia patients. *Hypertens Res* 2019;42:1647–8. <https://doi.org/10.1038/s41440-019-0269-8>.
- [30] Kumar D, Antony SDP. Calcified canal and negotiation-A review. *J Adv Pharm Technol Res* 2018;11:3727. <https://doi.org/10.5958/0974-360x.2018.00683.2>.
- [31] Johnson J, Lakshmanan G, M B, R M V, Kalimuthu K, Sekar D. Computational identification of MiRNA-7110 from pulmonary arterial hypertension (PAH) ESTs: a new microRNA that links diabetes and PAH. *Hypertens Res* 2020;43:360–2.

<https://doi.org/10.1038/s41440-019-0369-5>.

- [32] Janani K, Palanivelu A, Sandhya R. Diagnostic accuracy of dental pulse oximeter with customized sensor holder, thermal test and electric pulp test for the evaluation of pulp vitality: an in vivo study. *Braz Dent Sci* 2020;23. <https://doi.org/10.14295/bds.2020.v23i1.1805>.
- [33] Seppan P, Muhammed I, Mohanraj KG, Lakshmanan G, Premavathy D, Muthu SJ, et al. Therapeutic potential of *Mucuna pruriens* (Linn.) on ageing induced damage in dorsal nerve of the penis and its implication on erectile function: an experimental study using albino rats. *Aging Male* 2018;1–14. <https://doi.org/10.1080/13685538.2018.1439005>.
- [34] Jeevanandan G, Govindaraju L. Clinical comparison of Kedo-S paediatric rotary files vs manual instrumentation for root canal preparation in primary molars: a double blinded randomised clinical trial. *Eur Arch Paediatr Dent* 2018;19:273–8. <https://doi.org/10.1007/s40368-018-0356-6>.
- [35] Nandhini JST, Babu KY, Mohanraj KG. Size, shape, prominence and localization of gerdy's tubercle in dry human tibial bones. *J Adv Pharm Technol Res* 2018;11:3604. <https://doi.org/10.5958/0974-360x.2018.00663.7>.
- [36] Weiss SR, Navas-Martin S. Coronavirus pathogenesis and the emerging pathogen severe acute respiratory syndrome coronavirus. *Microbiol Mol Biol Rev* 2005;69:635–64. <https://doi.org/10.1128/MMBR.69.4.635-664.2005>.
- [37] Dave PH, Preetha. Pathogenesis and Novel Drug for Treatment of Asthma-A Review. *Research Journal of Pharmacy and Technology* 2016;9:1519. <https://doi.org/10.5958/0974-360x.2016.00297.3>.
- [38] Chan JF-W, Yuan S, Kok K-H, To KK-W, Chu H, Yang J, et al. A familial cluster of pneumonia associated with the 2019 novel coronavirus indicating person-to-person transmission: a study of a family cluster. *Lancet* 2020;395:514–23. [https://doi.org/10.1016/S0140-6736\(20\)30154-9](https://doi.org/10.1016/S0140-6736(20)30154-9).
- [39] Abigail, Abigail, Priya J, Devi G. Evaluation of Muscular Endurance among Dentists. *Indian Journal of Public Health Research & Development* 2019;10:258. <https://doi.org/10.5958/0976-5506.2019.02808.0>.
- [40] Lipsitch M, Swerdlow DL, Finelli L. Defining the Epidemiology of Covid-19 - Studies Needed. *N Engl J Med* 2020;382:1194–6. <https://doi.org/10.1056/NEJMp2002125>.
- [41] Shruthi M, Preetha S. Effect of Simple Tongue Exercises in Habitual Snorers. *Research Journal of Pharmacy and Technology* 2018;11:3614. <https://doi.org/10.5958/0974-360x.2018.00665.0>.
- [42] Ge H, Wang X, Yuan X, Xiao G, Wang C, Deng T, et al. The epidemiology and clinical information about COVID-19. *Eur J Clin Microbiol Infect Dis* 2020;39:1011–9. <https://doi.org/10.1007/s10096-020-03874-z>.
- [43] Choudhari S, Jothipriya MA. Non-alcoholic fatty liver disease. *Research Journal of Pharmacy and Technology* 2016;9:1782. <https://doi.org/10.5958/0974-360x.2016.00360.7>.
- [44] Siordia JA Jr. Epidemiology and clinical features of COVID-19: A review of current

- literature. *J Clin Virol* 2020;127:104357. <https://doi.org/10.1016/j.jcv.2020.104357>.
- [45] Iyer PK, Gayatri Devi R, Jothi Priya A. A Survey Study on Causes, Treatment and Prevention of Onychocryptosis. *Indian Journal of Public Health Research & Development* 2019;10:807. <https://doi.org/10.5958/0976-5506.2019.01990.9>.
- [46] Zhu N, Zhang D, Wang W, Li X, Yang B, Song J, et al. A Novel Coronavirus from Patients with Pneumonia in China, 2019. *N Engl J Med* 2020;382:727–33. <https://doi.org/10.1056/NEJMoa2001017>.
- [47] R GD, Sethu G. EVALUATION OF ADENOIDS BY ORONASAL AND NASAL SPIROMETRY. *Asian Journal of Pharmaceutical and Clinical Research* 2018;11:272. <https://doi.org/10.22159/ajpcr.2018.v11i10.27365>.
- [48] Li W, Sui J, Huang I-C, Kuhn JH, Radoshitzky SR, Marasco WA, et al. The S proteins of human coronavirus NL63 and severe acute respiratory syndrome coronavirus bind overlapping regions of ACE2. *Virology* 2007;367:367–74. <https://doi.org/10.1016/j.virol.2007.04.035>.
- [49] Swathy S, Gowri Sethu V. Acupuncture and lower back pain. *Research Journal of Pharmacy and Technology* 2015;8:991. <https://doi.org/10.5958/0974-360x.2015.00165.1>.
- [50] Hulswit RJG, Lang Y, Bakkers MJG, Li W, Li Z, Schouten A, et al. Human coronaviruses OC43 and HKU1 bind to 9-O-acetylated sialic acids via a conserved receptor-binding site in spike protein domain A. *Proceedings of the National Academy of Sciences* 2019;116:2681–90. <https://doi.org/10.1073/pnas.1809667116>.
- [51] Renuka S, Sethu G. Regeneration after Myocardial Infarction. *Research Journal of Pharmacy and Technology* 2015;8:738. <https://doi.org/10.5958/0974-360x.2015.00117.1>.
- [52] Xu X, Chen P, Wang J, Feng J, Zhou H, Li X, et al. Evolution of the novel coronavirus from the ongoing Wuhan outbreak and modeling of its spike protein for risk of human transmission. *Science China Life Sciences* 2020;63:457–60. <https://doi.org/10.1007/s11427-020-1637-5>.
- [53] Timothy CN, Gayatri Devi R, Jothi Priya A. Evaluation of Peak Expiratory Flow Rate (PEFR) in Pet Owners. *Indian Journal of Public Health Research & Development* 2019;10:803. <https://doi.org/10.5958/0976-5506.2019.01989.2>.
- [54] The General Office of National Health Commission. Diagnosis and Treatment Protocol for Novel Coronavirus Pneumonia (Trial Version 6, Revised). *Chinese Medical Journal* 2020.
- [55] David, Priya AJ, Devi G. Physical Fitness among the Dental Physician, Dental Undergraduates and Postgraduates Students. *Indian Journal of Public Health Research & Development* 2019;10:223–6.
- [56] McIntosh K. Coronavirus disease 2019 (COVID-19): Epidemiology, virology, and prevention. *Uptodate* 2020.
- [57] Deville JG. Coronavirus disease 2019 (COVID-19): Considerations in children. In: Edwards MS, Torchia MM, editors. *UpToDate*, Waltham, MA: UpToDate; 2020.
- [58] Huang C, Wang Y, Li X, Ren L, Zhao J, Hu Y, et al. Clinical features of patients infected with 2019 novel coronavirus in Wuhan, China. *Lancet* 2020;395:497–506.

[https://doi.org/10.1016/S0140-6736\(20\)30183-5](https://doi.org/10.1016/S0140-6736(20)30183-5).

- [59] Ahmad S. A Review of COVID-19 (Coronavirus Disease-2019) Diagnosis, Treatments and Prevention. *Eurasian Journal of Medicine and Oncology* 2020. <https://doi.org/10.14744/ejmo.2020.90853>.
- [60] Cascella M, Rajnik M, Cuomo A, Dulebohn SC, Di Napoli R. Features, Evaluation and Treatment Coronavirus (COVID-19). *StatPearls, Treasure Island (FL): StatPearls Publishing; 2020*.
- [61] Govt C. New Coronavirus Infection Pneumonia Prevention and Control Plan (Second Edition). 19 National Health Commission of the People's Republic of China Technical Guide for Prevention and Control of New Coronavirus Infection in Medical Institutions (Second Edition) (2020-01-22) 2020. <http://www.nhc.gov.cn/jkj/s3577/202001/c67cfe29ecf1470e8c7fc47d3b751e88.shtml> (accessed on 19 February 2020). (accessed June 3, 2020).
- [62] Adhikari SP, Meng S, Wu Y-J, Mao Y-P, Ye R-X, Wang Q-Z, et al. Epidemiology, causes, clinical manifestation and diagnosis, prevention and control of coronavirus disease (COVID-19) during the early outbreak period: a scoping review. *Infect Dis Poverty* 2020;9:29. <https://doi.org/10.1186/s40249-020-00646-x>.
- [63] Guan W-J, Chen R-C, Zhong N-S. Strategies for the prevention and management of coronavirus disease 2019. *Eur Respir J* 2020;55. <https://doi.org/10.1183/13993003.00597-2020>.
- [64] Vijayashree Priyadharsini J. In silico validation of the non-antibiotic drugs acetaminophen and ibuprofen as antibacterial agents against red complex pathogens. *J Periodontol* 2019;90:1441–8. <https://doi.org/10.1002/JPER.18-0673>.
- [65] Pc J, Marimuthu T, Devadoss P. Prevalence and measurement of anterior loop of the mandibular canal using CBCT: A cross sectional study. *Clin Implant Dent Relat Res* 2018.
- [66] Ramesh A, Varghese S, Jayakumar ND, Malaiappan S. Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study. *J Periodontol* 2018;89:1241–8. <https://doi.org/10.1002/JPER.17-0445>.
- [67] Ramadurai N, Gurunathan D, Samuel AV, Subramanian E, Rodrigues SJL. Effectiveness of 2% Articaine as an anesthetic agent in children: randomized controlled trial. *Clin Oral Investig* 2019;23:3543–50. <https://doi.org/10.1007/s00784-018-2775-5>.
- [68] Sridharan G, Ramani P, Patankar S, Vijayaraghavan R. Evaluation of salivary metabolomics in oral leukoplakia and oral squamous cell carcinoma. *J Oral Pathol Med* 2019;48:299–306. <https://doi.org/10.1111/jop.12835>.
- [69] Ezhilarasan D, Apoorva VS, Ashok Vardhan N. Syzygium cumini extract induced reactive oxygen species-mediated apoptosis in human oral squamous carcinoma cells. *J Oral Pathol Med* 2019;48:115–21. <https://doi.org/10.1111/jop.12806>.
- [70] Mathew MG, Samuel SR, Soni AJ, Roopa KB. Evaluation of adhesion of Streptococcus mutans, plaque accumulation on zirconia and stainless steel crowns, and surrounding gingival inflammation in primary molars: Randomized controlled trial. *Clin Oral Investig*

2020:1–6.

- [71] Vaccaro, C., Shakeri, A., Czaplinski, E., Eltonsy, S. New-generation antiepileptic drugs during pregnancy and the risk of attention-deficit hyperactivity disorder: A scoping review, 2020) Journal of Population Therapeutics and Clinical Pharmacology, 27 (4), pp. e1-e18.
- [72] R H, Hannah R, Ramani P, Ramanathan A, R JM, Gheena S, et al. CYP2 C9 polymorphism among patients with oral squamous cell carcinoma and its role in altering the metabolism of benzo[a]pyrene. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology 2020;130:306–12. <https://doi.org/10.1016/j.oooo.2020.06.021>.
- [73] Chandrasekar R, Chandrasekhar S, Sundari KKS, Ravi P. Development and validation of a formula for objective assessment of cervical vertebral bone age. Prog Orthod 2020;21:38. <https://doi.org/10.1186/s40510-020-00338-0>.
- [74] Vijayashree Priyadharsini J, Smiline Girija AS, Paramasivam A. In silico analysis of virulence genes in an emerging dental pathogen A. baumannii and related species. Arch Oral Biol 2018;94:93–8. <https://doi.org/10.1016/j.archoralbio.2018.07.001>.

## LIST OF TABLES

**Table - 1: Shows the Grading of review articles on Coronavirus COVID-19**

Author	Year	Source	Quality
Sheng - Qun Deng et al	2020	Pubmed	Strong
CaileyMunana et al	2020	Google scholar	Weak
Hanna zakaria	2020	Pubmed	Moderate
Susan R. Weiss et al	2005	Pubmed	Strong
Jasper Fuk-Woo Chan	2020	Pubmed	Moderate
Khot WY et al	2020	Pubmed	Moderate

Zu Zy, Jiang MD et al	2020	Pubmed	Weak
Lipstich M. Swerdlow et al	2020	Pubmed	Weak
Ge H, Wang X et al	2020	Pubmed	Strong
Siordia JA et al	2020	Pubmed	Moderate
Zhu N, Zhang D et al	2019	Pubmed	Moderate
Li W, Sui J et al	2007	Google scholar	Weak
Ruben J. G. Hulswit	2019	Google scholar	Weak
Xintian Xu et al	2020	Google Scholar	Moderate
National Health Commission of the People's Republic of China and National Administration of Traditional Chinese Medicine. Diagnosis & Treatment Scheme for Novel Coronavirus Pneumonia (Trial) 6th Edition	2020	Google scholar	strong
Kenneth McIntosh Et al	2020	Google scholar	Moderate

Jaime G Deville	2020	Google scholar	weak
Chaolin Hung et al	2020	Pubmed	strong
Abdul Hafeez et al	2020	Google scholar	Moderate
Marco Cascella et al	2020		
National Health Commission of the People's Republic of China. Technical Guide for Prevention and Control of New Coronavirus Infection in Medical Institutions (Second Edition)	2020	Google scholar	strong
AdhikariS , Meng S et al	2020	pubmed	moderate
Wei-jie Guan et al	2020	pubmed	moderate

Table - 1: Shows the Grading of review articles on Coronavirus COVID-19.